

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILIN	NG DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/611,551	06/30/2003		Susan I. Shelso	S63.2-10691	5002	
490	7590	07/13/2006		EXAMINER		
VIDAS, A	RRETT & S	TEINKRAUS, I	TYSON, MELANIE RUANO			
	CIRCLE DR	UVE		ART UNIT	PAPER NUMBER	
SUITE 2000					TATER NOMBER	
MINNETO	VKA, MN :	55343-9185		3731		

DATE MAILED: 07/13/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

			(.)			
	Application No.	Applicant(s)				
	10/611,551	SHELSO, SUSAN 1.				
Office Action Summary	Examiner	Art Unit				
	Melanie Tyson	3731				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 16 Ju	<u>ine 2006</u> .					
2a)⊠ This action is FINAL . 2b)☐ This	This action is FINAL . 2b) ☐ This action is non-final.					
3) Since this application is in condition for allowar						
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	i3 O.G. 213.				
Disposition of Claims - 14 & - 2 4 4)	relection requirement. r. are: a)⊠ accepted or b)□ objection of the drawing(s) be held in abeyance. See ion is required if the drawing(s) is objection is required if the drawing(s) is objective in the drawing(s) is objective in the drawing(s).	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority documents application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

DETAILED ACTION

This action is in response to applicant's amendment received on 16 June 2006.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1-3, 6-12, 14, and 21-24 are rejected under 35 U.S.C. 102(e) as being anticipated by Cox et al. (U.S. 2003/0212451 A1).

Regarding claim 1, Cox et al. disclose a grip (Figure 18, element 100) constructed from a polymeric material (paragraph 79) comprising a body region (40; which includes everything extending from adjacent element 42 to the tip 108), a first end (adjacent to element 42), and a second end (108), with the diameter of the first end being greater than the diameter of the second end.

Regarding claim 2, Figure 18 shows a hub region (42) adjacent to the first end, with the diameter of the hub being greater than the diameter of the first end.

Regarding claim 3, Figure 18 shows a grip (100) substantially tapered from the first end (adjacent to element 42) to the second end (108).

Regarding claim 6, Cox et al. teach a portion of the grip can be made from "polyether-block-amide" or other similar polymeric material or alloy suitable for use (paragraph 79).

Regarding claim 7, Cox et al. teach a "radiopaque" material can be compounded with a polymeric material to form a portion of the grip (paragraph 79).

Regarding claim 8, Figure 18 shows a grip (100) engaged to an inner shaft portion (35) of a catheter.

Regarding claim 9, Figure 18 shows a grip (100) on at least a portion of a stent mounting region.

Regarding claim 10, Figure 18 shows an expanded stent (80). The stent in an unexpanded state would look similar to the unexpanded stent (10) in Figure 1, in which the unexpanded stent (10) is engaged to at least a portion of the body region (40) of a grip.

Regarding claim 11, Figure 18 shows a catheter having an inner shaft (35), a grip (100) engaged thereto, and a retractable sheath (52). Cox et al. disclose a grip (100) constructed from a polymeric material (paragraph 79) comprising a body region (40), a first end (adjacent to element 42), and a second end (108), with the diameter of the first end being greater than the diameter of the second end. Figure 18 shows an expanded stent (80). The stent in an unexpanded state would look similar to the unexpanded stent (10) in Figure 1, in which the unexpanded stent (10) is being disposed about a portion of the inner shaft (35) and engaged to at least a portion of the body region (40) of at least

Application/Control Number: 10/611,551

Art Unit: 3731

one grip. A retractable sheath (52) overlies the unexpanded stent (10), and when the retractable sheath is retracted off of the stent, the stent expands (Figure 18).

Regarding claim 12, Figure 18 shows a stent (80) comprising a plurality of struts.

Regarding claim 14, Figure 18 shows at least one grip (100) comprising a hub region (42) adjacent to the first end, with the diameter of the hub being greater than the diameter of the first end. Figure 1 shows an unexpanded stent (10) being positioned adjacent to the hub (42).

Regarding claim 21, Cox et al. teach a portion of at least one grip can be made from "poly-ether-block-amide" or other similar polymeric material or alloy suitable for use (paragraph 79).

Regarding claim 22, Cox et al. teach a "radiopaque" material can be compounded with a polymeric material to form a portion of at least one grip (paragraph 79).

Regarding claim 23, Figure 18 shows minimal space between an inner shaft portion (35) of a catheter and a retractable sheath (52).

Regarding claim 24, Cox et al. disclose at least one grip (Figure 18, element 100) engaged to a portion of a catheter shaft (35); the at least one grip (100) constructed from a polymeric material (paragraph 79) comprising a body region (40), a first end (adjacent to element 42), and a second end (108), with the diameter of the first end being greater than the diameter of the second end. Figure 18 shows an expanded stent (80). The stent in an unexpanded state would look similar to the unexpanded stent (10) in Figure 1, in which the unexpanded stent (10) is engaged to at least a portion of the

Application/Control Number: 10/611,551 Page 5

Art Unit: 3731

body region (40) of at least one grip. A retractable sheath (52) overlies the unexpanded stent (10), and when the retractable sheath is retracted off of the stent, the stent expands (Figure 18).

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 5. Claims 4-5 and 19-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cox et al. in view of Helgerson et al. (Patent No. 6,149,996).

Regarding claims 4-5, Cox et al. disclose a grip as described above, but do not disclose the hardness of the grip. Helgerson et al. teach putting a "molded tip" on tubing for use in a stent delivery device (Figure 1). As noted therein, the cured molded tip is flexible (column 2, lines 19-20) in order to facilitate stent delivery, having a Shore hardness of about 70A to about 110A (column 2, lines 52-56). Therefore, to construct the grip of Cox et al. with a hardness of about 60A to about 90A, or about 70A to about

W

90A, as taught by Helgerson et al. would have been obvious to one of ordinary skill in the art at the time the invention was made in order to provide a flexible grip that facilitates stent delivery.

Regarding claims 19-20, Cox et al. disclose a stent delivery system as described above, but do not disclose the hardness of the grip. Helgerson et al. teach putting a "molded tip" on tubing for use in a stent delivery device (Figure 1). As noted therein, the cured molded tip is flexible (column 2, lines 19-20) in order to facilitate stent delivery, having a Shore hardness of about 70A to about 110A (column 2, lines 52-56).

Therefore, to construct the grip of Cox et al. with a hardness of about 60A to about 90A, or about 70A to about 90A, as taught by Helgerson et al. would have been obvious to one of ordinary skill in the art at the time the invention was made in order to provide a flexible grip that facilitates stent delivery.

6. Claims 13 and 16-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cox in view of Gunderson (U.S. 2004/0204749 A1).

Regarding claim 13, Cox et al. disclose a grip as described above; however, Cox et al. does not disclose at least one grip member reduces the longitudinal force the catheter exerts on the individual struts when a sheath is retracted. Like Cox et al., Gunderson discloses a grip member (Figure 9, element 10). Unlike Cox et al., Gunderson discloses at least one grip member (10) reduces the longitudinal force the catheter exerts on the individual struts during withdrawal of a sheath in order to prevent the stent from being drawn longitudinally (stent jumping; paragraphs 9, 14, and 16). Therefore, to configure the grip of Cox et al. so that it reduces the longitudinal force the

catheter exerts on the individual struts when a sheath is retracted as taught by

Gunderson would have been obvious to one of ordinary skill in the art at the time the
invention was made in order to improve the accuracy of stent placement and reduce the
occurrence and severity of stent jumping.

Regarding claims 16-18, Cox et al. does not disclose the at least one grip member comprises a first grip member and a second grip member. Unlike Cox et al., Gunderson teaches that one or more grips may be disposed about the catheter under the stent (paragraph 16) in order to provide a stent delivery system that may reduce or eliminate occurrences of stent jumping, in turn improving the accuracy of stent placement within a vessel or other body space (paragraph 10). Figure 8 shows a first grip (10) and a second grip (not labeled), with the second end of the body region of the first grip being substantially adjacent to the second end of the body region of the second grip. Regarding claim 17, Figure 8 shows a stent (26) comprising a first end portion, second end portion, and a body portion therebetween. In the unexpanded state the first end portion of the stent (26) is engaged to at least a portion of the body region of the first grip (10), and the second end portion of the stent being engaged to at least a portion of the body region of the second grip (not labeled). Regarding claim 18, Figure 8 shows an unexpanded stent (26), wherein the body portion of the stent overlies the second end of the body region of the first grip (10) and the second end of the body region of the second grip (not labeled). Therefore, to construct the grip member of Cox et al. as taught by Gunderson, wherein the at least one grip member comprises a first grip member and a second grip member, would have been obvious to one of ordinary

skill in the art at the time the invention was made in order to improve the accuracy of stent placement.

Response to Arguments

7. Applicant's arguments filed 16 June 2006 have been fully considered but they are not persuasive. Applicant states that the outer diameter of the first end (adjacent element 42) of the body region (40) of the grip (100) is not greater than the outer diameter of the second end (108) of the body region (40). As stated in the previous office action, the body region (40) of the grip (100) has a first end (adjacent element 42) and a second end (108). To clarify this statement, the "body region" (40) of the grip (100) includes everything from the first end (adjacent element 42) to the second end (108). Therefore, the outer diameter of the first end (adjacent element 42) is greater than the outer diameter of the second end (108). Since Cox et al. teach or suggest all the elements of independent claims 1 and 11, dependent claims 4-5 and 19-20 are obvious under section 103.

Conclusion

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melanie Tyson whose telephone number is (571) 272-9062. The examiner can normally be reached on Monday through Friday 7:30 a.m. - 5:00 p.m. EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan Nguyen can be reached on (571) 272-4963. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Melanie Tyson MT July 3, 2006

ANHTUANT. NGUYEN
SUPERVISORY PATENT EXAMINER